

Certificate 4523045

The Dow Chemical Company

Page 2

Date: 08/20/2009

Certificate of Analysis

Shipped: 08/21/2009

Material: TRITON(TM) X-200K SURFACTANT ✓  
450 LB PE DRUM

Spec: 00126285-S ✓

Cust Mtl:

Orig. Batch:

*date manufacture: 2009-08-10 de 2009-11-09*

Vehicle: INV/MR-CARR/MP-CARR

Ship from: THE DOW CHEMICAL COMPANY

NITRO

WV UNITED STATES

This material meets the requirements of the specification.

Feature	Units	Results	Limits		Method
			Minimum	Maximum	
Solids Content	% wt	27.8	27.5	28.5	1B-40F-1.3
pH	-	6.3	6.0	8.0	1B-40F-1.31
20% aqueous solution					
Appearance		Passes			1B-40F-1.29
Sodium Sulfite	% wt	0.02	0.00	0.05	1B-40F-1.13
Active Ingredient	% wt	17.5	16.0	18.0	1B-40F-1.4

Although every batch may not be tested, this material meets the following: Kathon, at time of manufacture: 5 to 15 ppm; Sodium chloride: 3.1% by weight, maximum; Viscosity at 25C, shear rate 1.26 sec: 5000 to 9000 cps.

Vérifié par

*[Signature]*  
2009-02-18

*[Signature]*  
2009-02-24

Quality Coordinator  
Specialty Chemicals

For inquiries please contact Customer Service or local sales.

\* Trademark of The Dow Chemical Company

Certificate 4542653

The Dow Chemical Company

Page 1

Date: 09/04/2009

Certificate of Analysis

Shipped: 09/08/2009

Material: TRITON(TM) X-200K SURFACTANT  
450 LB PE DRUM

Spec: 00126285-S ✓

Cust Mtl:

Batch:

Orig. Batch:

*date manufacture 309-08-10 ✓*

Vehicle: MP-CARR/TA/MR-CARR

Ship from: THE DOW CHEMICAL COMPANY

NITRO

WV UNITED STATES ✓

This material meets the requirements of the specification.

Feature	Units	Results	Limits		Method
			Minimum	Maximum	
Solids Content	% wt	27.9	27.5	28.5	1B-40F-1.3
pH	-	6.8	6.0	8.0	1B-40F-1.31
20% aqueous solution					
Appearance		Passes			1B-40F-1.29
Sodium Sulfite	% wt	0.02	0.00	0.05	1B-40F-1.13
Active Ingredient	% wt	17.5	16.0	18.0	1B-40F-1.4

Although every batch may not be tested, this material meets the following: Kathon, at time of manufacture: 5 to 15 ppm; Sodium chloride: 3.1% by weight, maximum; Viscosity at 25C, shear rate 1.26 sec: 5000 to 9000 cPs.

Vérfié par

*Cl Mack 2009-09-18*

*S 2010-02-23*

Quality Coordinator  
Specialty Chemicals

For inquiries please contact Customer Service or local sales.

\* Trademark of The Dow Chemical Company